



NOTES:

1. ITEM MATERIAL SHALL BE ALUMINUM ALLOY, ALUMINIUM ASSOCIATION TYPE 5052 OR 6061
2. SURFACES SHALL BEAR ANODIC COATING OR POWDER COATING
3. ANODIC COATING SHALL BE IN ACCORDANCE WITH MIL-A-8625, TYPE II CLASS 2, COLOUR BLACK
4. POWDER COATING SHALL BE CURED, TIGER DRYLAC 39/80200, MATTE, FINE TEXTURE, COLOUR BLACK
5. DIMENSIONAL REQUIREMENTS APPLY AFTER COATING
6. EXTERNAL EDGES SHALL CONFORM TO R0.3 ± 0.2
7. INTERNAL EDGES SHALL CONFORM TO R0.2 MAX
- ⑧ INDICATED REGION MAY BE FREE OF POWDER COAT
- ⑨ FULL THREADS SHALL BE FREE OF POWDER COAT
10. ITEM MAY BE ELASTICALLY CONSTRAINED DURING INSPECTION TO SATISFY DIMENSIONAL REQUIREMENTS
- ⑪ (NOTE FOR INTEGRATION—MOUNTS FOR FORT ROBOTICS VSC)
- ⑫ (NOTE FOR INTEGRATION—MOUNTS FOR SWIFT NAVIGATION DURO)
- ⑬ (NOTE FOR INTEGRATION—MOUNTS FOR AXIS M5525-E)
- ⑭ (NOTE FOR INTEGRATION—MOUNTS FOR AXIS F34)
- ⑮ (NOTE FOR INTEGRATION—MOUNTS FOR FIXPOSITION VISION-RTK 2)
16. UNSPECIFIED BASIC DIMENSIONS SHALL BE DEFINED BY DIGITAL GEOMETRY FILE "027110-GEO_4.STEP"



TEMPLATE 020836-DTT_11

THIRD ANGLE PROJECTION



UNLESS OTHERWISE SPECIFIED

UNITS ARE MILLIMETRES & GRAMS
 NOTES SUPERSEDE TITLE BLOCK
 CALLOUTS SUPERSEDE NOTES
 DIMENSIONS & TOLERANCES SHALL BE INTERPRETED
 IN ACCORDANCE WITH ASME Y14.5-2018



PROPRIETARY AND CONFIDENTIAL
 INFORMATION CONTAINED IN THIS DRAWING IS
 THE SOLE PROPERTY OF CLEARPATH ROBOTICS INC.
 PROHIBITED TO REPRODUCE IN PART OR AS A WHOLE WITHOUT
 WRITTEN PERMISSION OF CLEARPATH ROBOTICS INC.

DRAFT RF 24 MAR 2022

ITEM NAME PLATE—80 X 80, ATTACHMENT INTERFACE, LARGE

PAPER 432 X 279 SCALE 1:2 DO NOT SCALE

ITEM NUMBER 027110 SHEET 1 OF 1

REV. 4